

DEPARTMENTWISE INSTRUMENTS AND EQUIPMENTS LIST AS PER MSR

DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY

YEAR 2024. – 2025

Faculty: Ayurved

Name of College: Jaywant Institute of Medical Sciences, K.M.gad College Code: 122135

Sr.No	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1	Microscopes with oil immersion	-	Fifty	50	Adequate
2	Westergen's pipette for ESR	-	Hundred	100	Adequate
3	Haematocrit Tube	-	Hundred	100	Adequate
4	Sahli's Haemoglobinometer	-	Hundred	100	Adequate
5	Haemocytometer	-	Hundred	100	Adequate
6	Electrocardiograph	-	One	1	Adequate
7	Stop watches	-	Hundred	100	Adequate
8	Water Distillation still	-	One	1	Adequate
9	Balances	-	One	1	Adequate
10	Centrifuge with speed control	-	Six	6	Adequate
11	Colorimeter (photoelectric)	-	Six	6	Adequate
12	pH meter Electric	-	One	1	Adequate
13	pH comparator with disc	-	One	1	Adequate
14	Sphygmomanometer	-	Fifty	50	Adequate
15	Stethoscopes	-	Hundred	100	Adequate
16	Clinical Thermometer	-	Hundred	100	Adequate
17	Knee Hammer	-	Hundred	100	Adequate
18	Tuning forks	-	Hundred	100	Adequate
19	Sterilizer	-	Five	5	Adequate
General					
20.	Refrigerator	-	One	1	Adequate
21.	Newton's colour wheelIn a batch	-	One	1	Adequate
Miscellaneous					
22.	Cover slips, glassware, Microslides	Available		Available	Adequate

Dean/ Principal Stamp & Signature


Shetkar Shikshan Prasarak Mandal

(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR SECTION HALL

S. No.	Instruments and Equipments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Tank with a capacity to preserve 2-4 bodies.		Available	Assorted	Adequate
2.	Machines for bones and brain sectioning		Available	Assorted	Adequate
3.	Dissection Sets	-	Twenty-five sets	25	Adequate
4.	Dissecting Table				
a)	Full size with steel top or marble top stainless	-	Six	06	Adequate
b)	Half size with steel top or marble top stainless	-	Ten	10	Adequate
General					
5.	X-ray viewing box or panels	-	Three	03	Adequate
Miscellaneous					
6.	Bone cutter of the number $\frac{3}{4}$, $\frac{1}{2}$, $\frac{1}{4}$, $\frac{1}{8}$ - fine pointed Chisel bone dissector		Available	Assorted	Adequate
7.	Glass jars of different sizes		Available	Assorted	Adequate
8.	Preservative Chemicals		Available	Assorted	Adequate




Dean/ Principal Stamp & Signature
Secretary
 Shetkari Shikshan Prasarak Mandal
 Rethare(BK), Tal.Karad, Dist.Satara



Sr. No.	Equipment and Instrument	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Khalva Yantra-				
a)	Small	-	Twenty	Not Applicable	Not Applicable
b)	Medium	-	Twenty	Not Applicable	Not Applicable
c)	Porcelain	-	Twenty	Not Applicable	Not Applicable
d)	Taptakhalvyantra	-	Four	Not Applicable	Not Applicable
2.	Pounding Apparatus (Ulukhala Yantra)	-	Twenty	Not Applicable	Not Applicable
3.	Putas (Different kind)	-	Ten	Not Applicable	Not Applicable
4.	Moosha (Crucibles)	-	Fifty	Not Applicable	Not Applicable
5.	Koshti with Blower	-	Four	Not Applicable	Not Applicable
6.	Yantras				
a)	Dola Yantra	-	One	Not Applicable	Not Applicable
b)	Valuka Yantra	-	One	Not Applicable	Not Applicable
c)	Pithara Yantra	-	One	Not Applicable	Not Applicable
d)	Bhudhara Yantra etc.	-	One	Not Applicable	Not Applicable
7.	Distillation Apparatus and Arka Yantra	-	Six	Not Applicable	Not Applicable
8.	Kupipakva Bhatti	-	One	Not Applicable	Not Applicable
General					
9.	Wet Grinder	-	One	Not Applicable	Not Applicable
10.	Mixi	-	One	Not Applicable	Not Applicable
11.	Juice Extractor	-	One	Not Applicable	Not Applicable
12.	Refrigerator	-	One	Not Applicable	Not Applicable
13.	Almiras and Racks for storage	Assorted		Not Applicable	Not Applicable
14.	Balance (Different Capacities)			Not Applicable	Not Applicable
a)	Physical	-	One	Not Applicable	Not Applicable
b)	Chemical	-	One	Not Applicable	Not Applicable
c)	Electronic Balance	-	One	Not Applicable	Not Applicable
15.	Heating Device-				
a)	Gas Stove	Assorted		Not Applicable	Not Applicable
b)	Hot plate	Assorted		Not Applicable	Not Applicable
c)	Chulla (Charcoal)	Assorted		Not Applicable	Not Applicable

a)	Brass	Assorted	Not Applicable	Not Applicable
b)	Copper	Assorted	Not Applicable	Not Applicable
c)	Steel etc.	Assorted	Not Applicable	Not Applicable
d)	Earthen Vessels-Pots	Assorted	Not Applicable	Not Applicable
Miscellaneous				
17.	Jars(Porcelain)	Fermentation Purpose	Assorted	Not Applicable
18.	Enamel Trays	Assorted	Not Applicable	Not Applicable
19.	Spirit Lamp	Assorted	Not Applicable	Not Applicable
20.	Pressure Cooker	Assorted	Not Applicable	Not Applicable
21.	Measuring Equipments	Different Size (Glass)	Assorted	Not Applicable
22.	Pyrometer	Assorted	Not Applicable	Not Applicable
23.	Thermo meter	Assorted	Not Applicable	Not Applicable
24.	Vessels		Not Applicable	Not Applicable
a)	Frying Pan	Assorted	Not Applicable	Not Applicable
b)	Steel Vessel	Assorted	Not Applicable	Not Applicable
c)	Spatula	Assorted	Not Applicable	Not Applicable
d)	Ladles and Spoons	Assorted	Not Applicable	Not Applicable
e)	Knife	Assorted	Not Applicable	Not Applicable
f)	Plates	Assorted	Not Applicable	Not Applicable
g)	Samdamsa Yantra(Tongs)	Assorted	Not Applicable	Not Applicable
25.	Sieves (Assorted Nos. and Size)	Assorted	Not Applicable	Not Applicable




[Handwritten Signature]

Dean/ Principal Stamp & Signature

Secretary
Shetkari Shikshan Prasarak Mandal
Rethare(BK), Tal.Karad, Dist.Satara

(D) DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHARMACOGNOSY LABORATORY [DRAVYAGUNA]


S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
		Essential			
1.	Field magnifier	One	One	Not Applicable	Not Applicable
2.	Compound microscope	One	One	Not Applicable	Not Applicable
3.	Dissecting Microscope	One	One	Not Applicable	Not Applicable
4.	Microscope	Fifteen	Twenty five	Not Applicable	Not Applicable
5.	Electronic balance	One	Two	Not Applicable	Not Applicable
		Miscellaneous			
6.	Slides box with cover slips,		Assorted	Not Applicable	Not Applicable
7.	Blotting/filter papers		Assorted	Not Applicable	Not Applicable
8.	Dissection Box		Assorted	Not Applicable	Not Applicable
9.	Enamel Trays		Assorted	Not Applicable	Not Applicable
10.	Reagents-				
a.	Chloroform		Assorted	Not Applicable	Not Applicable
b.	Alcohol.		Assorted	Not Applicable	Not Applicable
c.	HCL		Assorted	Not Applicable	Not Applicable
d.	Sulphuric acid		Assorted	Not Applicable	Not Applicable
e.	Sodium, potassium hydroxide		Assorted	Not Applicable	Not Applicable
f.	Benedict solution		Assorted	Not Applicable	Not Applicable
g.	Sodium nitrate		Assorted	Not Applicable	Not Applicable
h.	Potassium nitrate		Assorted	Not Applicable	Not Applicable
i.	Citric acid		Assorted	Not Applicable	Not Applicable
j.	Iodine		Assorted	Not Applicable	Not Applicable
k.	Ethyl Alcohol		Assorted	Not Applicable	Not Applicable
l.	Potassium Iodide		Assorted	Not Applicable	Not Applicable
m	Xylol/pure xylene (slide preparation)		Assorted	Not Applicable	Not Applicable
.				Not Applicable	Not Applicable



Dean/ Principal Stamp & Signature
 Secretary
 Shekari Shikshan Prasarak Mandal
 Rethare(BK), Tal.Karad, Dist.Satara

(E) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR UOGVIGYAN LABORATORY

S.No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate / Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty five	Not Applicable	Not Applicable
2.	Microscope with oil immersion	Fifteen	Twenty five	Not Applicable	Not Applicable
3.	Monocular microscope with oil emersion lens20(e)	Fifteen	Twenty five	Not Applicable	Not Applicable
4.	X-ray view box	One	One	Not Applicable	Not Applicable
5.	Sahl's Square tube	Thirty	Fifty	Not Applicable	Not Applicable
6.	Hb pipette	Thirty	Fifty	Not Applicable	Not Applicable
7.	WBC Pipette	Thirty	Fifty	Not Applicable	Not Applicable
8.	Dropper	Thirty	Fifty	Not Applicable	Not Applicable
9.	Red cell pipette	Thirty	Fifty	Not Applicable	Not Applicable
10.	Improved Neubauer chamber	Thirty	Fifty	Not Applicable	Not Applicable
11.	Incubator	One	Two	Not Applicable	Not Applicable
12.	Wintrobe's tube	Thirty	Fifty	Not Applicable	Not Applicable
13.	Pasteur's pipette	Thirty	Fifty	Not Applicable	Not Applicable
14.	Centrifuge Graduated Machine	One	Two	Not Applicable	Not Applicable
15.	Westergrens pipette	Thirty	Fifty	Not Applicable	Not Applicable
16.	Westergrens's stand	Thirty	Fifty	Not Applicable	Not Applicable
17.	Urinometer	Thirty	Fifty	Not Applicable	Not Applicable
18.	Autoclave	One	One	Not Applicable	Not Applicable
19.	Ultraviolet lamp	One	One	Not Applicable	Not Applicable
20.	Cell counter (haemoautoanalyser)	One	One	Not Applicable	Not Applicable
21.	BP Apparatus	Thirty	Fifty	Not Applicable	Not Applicable
22.	Stethoscope	Thirty	Fifty	Not Applicable	Not Applicable
23.	Thermometer	Thirty	Fifty	Not Applicable	Not Applicable
24.	Tongue depressor	Thirty	Fifty	Not Applicable	Not Applicable
25.	Stop watch	Thirty	Fifty	Not Applicable	Not Applicable
General					
26.	Physical balance	One	One	Not Applicable	Not Applicable
27.	Hot air oven	One	One	Not Applicable	Not Applicable
28.	Bunsen burner	Thirty	Fifty	Not Applicable	Not Applicable
29.	Refrigerator	One	One	Not Applicable	Not Applicable



30.	Sterile vessels/bottle to collect samples	Assorted	Assorted	Not Applicable	Not Applicable
31.	Torch	Assorted	Assorted	Not Applicable	Not Applicable
32.	Knee hammer	Assorted	Assorted	Not Applicable	Not Applicable
33.	Measuring Tape	Assorted	Assorted	Not Applicable	Not Applicable
34.	ENT examination set	Assorted	Assorted	Not Applicable	Not Applicable
35.	Reflectors(Mirrors)	Assorted	Assorted	Not Applicable	Not Applicable
36.	Weighing machine	One	One	Not Applicable	Not Applicable
37.	Tuning Forks	Assorted	Assorted	Not Applicable	Not Applicable
38.	Nasal speculum	Assorted	Assorted	Not Applicable	Not Applicable
39.	Laryngoscope	Assorted	Assorted	Not Applicable	Not Applicable
40.	Catheters	Assorted	Assorted	Not Applicable	Not Applicable
41.	Probes	Assorted	Assorted	Not Applicable	Not Applicable
42.	HBs Ag kit	Assorted	Assorted	Not Applicable	Not Applicable
43.	HIV kit - Tridot (method by T Mitra)	Assorted	Assorted	Not Applicable	Not Applicable
44.	CT and BT kit	Assorted	Assorted	Not Applicable	Not Applicable
45.	Renal profile, LET kit, Lipid profile, Blood, Sugar kit	Assorted	Assorted	Not Applicable	Not Applicable
46.	Sterile disposable lencer/needle	Assorted	Assorted	Not Applicable	Not Applicable
47.	Glass rod	Assorted	Assorted	Not Applicable	Not Applicable
48.	Syringe needle destroyer	Assorted	Assorted	Not Applicable	Not Applicable
49.	Cover slip	Assorted	Assorted	Not Applicable	Not Applicable
50.	Cleaned slides	Assorted	Assorted	Not Applicable	Not Applicable
51.	Litmus paper	Assorted	Assorted	Not Applicable	Not Applicable
52.	pH indicator paper strips	Assorted	Assorted	Not Applicable	Not Applicable
53.	Test tube	Assorted	Assorted	Not Applicable	Not Applicable
54.	Separating funnels of various sizes	Assorted	Assorted	Not Applicable	Not Applicable
55.	Glass Jars with lid of different sizes	Assorted	Assorted	Not Applicable	Not Applicable
56.	Capillary Tubes	Assorted	Assorted	Not Applicable	Not Applicable
57.	Rubber sheat	Assorted	Assorted	Not Applicable	Not Applicable
58.	Magnifying lens	Assorted	Assorted	Not Applicable	Not Applicable
59.	Water bath	Assorted	Assorted	Not Applicable	Not Applicable
60.	Multi stix	Assorted	Assorted	Not Applicable	Not Applicable




Dean/ Principal Stamp & Signature


Secretary
Shetkari Shikshan Prasarak Mandal

(F) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR LABOUR ROOM

S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
1.	Shadowless Lamp	One	01	Adequate
2.	Suction Machine (Neonatal)	One	01	Adequate
3.	Oxygen Cylinder and Mask	One	01	Adequate
4.	Foetal Toco Cardiograph	One	01	Adequate
5.	Radiant Warmer	One	01	Adequate
6.	Photo therapy Unit	One	01	Adequate
7.	Weighing Machine (Paediatric)	One	01	Adequate
8.	Patient trolley	One	01	Adequate
9.	Anaesthesia trolley	Two	02	Adequate
10.	Infantometer	One	01	Adequate
11.	Vacuum extractor	One	01	Adequate
12.	Foetal Doppler	One	01	Adequate
13.	Low cavity forceps	One	01	Adequate
14.	Steriliser	Two	02	Adequate
15.	Machintosh rubber sheet	Two	02	Adequate
16.	Instruments for labour and Episiotomy. (Scissors, forceps, needle holders etc.)	Assorted	Available	Adequate
17.	Baby tray	Assorted	Available	Adequate
18.	Nebuliser	Two	02	Adequate
19.	Foetoscope	One	01	Adequate
20.	Auto Clave	Five	05	Adequate
21.	Drums	One	01	Adequate
22.	Instrumental Trolley	Assorted	Available	Adequate
23.	OT tables and head Up and head Low facility	Assorted	Available	Adequate
24.	Pulse Oximeter	One	01	Adequate
25.	Resuscitation kit	One	01	Adequate
26.	Boyle's apparatus	One	01	Adequate
27.	Electrocautery	One	01	Adequate
28.	MTP Suction Machine	One	01	Adequate
29.	Anaesthesia Kit	One	01	Adequate
30.	Blunt and Sharp Curettes	One	01	Adequate
31.	Dilators set (Hegar's, Hawkins)	Ten	10	Adequate
		Five	05	Adequate



33.	Cusco's Speculum		Five	05	Adequate
34.	Anterior Vaginal Wall retractor		Five	05	Adequate
35.	Uterine sound		Five	05	Adequate
36.	Volsellum		Five	05	Adequate
37.	MTP Suction Currate		Five	05	Adequate
38.	Retractors abdominal (Doyle's etc.)		Five	05	Adequate
39.	Sponge holding forceps		Five	05	Adequate
40.	Green armytage forceps		Five	05	Adequate
41.	Uterus holding forceps		Five	05	Adequate
42.	Kocher's forceps		Five	05	Adequate
43.	Artery forceps (Long, short, Mosquito)Each		Five	05	Adequate
44.	Scissors- different sizes		Five	05	Adequate
45.	Forceps obstetrics		Five	05	Adequate
46.	Endotrachial tubes		Five	05	Adequate
47.	Cord Cutting appliances		Five	05	Adequate
48.	I.U.C.D. removing hook		Five	05	Adequate
49.	Bladder Sound		Five	05	Adequate
50.	B.P. apparatus		Two	02	Adequate
Miscellaneous					
51.	HIV kit for emergency patients	Assorted			
52.	Plain and Hole towels	Assorted		Available	Adequate
53.	Towel Clips	Assorted		Available	Adequate
54.	Catguts and Thread	Assorted		Available	Adequate
55.	Needles	Assorted		Available	Adequate
56.	Needle holders	Assorted		Available	Adequate




[Handwritten Signature]


Dean/ Principal Stamp & Signature

Secretary
Shetkari Shikshan Prasarak Mandal
Rethare(BK), Tal.Karad, Dist.Satara


(G) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OPERATION THEATRE



S.No.	Equipment and Instruments	Required Quantity	Details on College Website	Adequate/ Inadequate
I	Shalya:			
	Essential			
1.	Spot light (Shadow less ceiling fitted)	One	01	Adequate
2.	Needle holding Forceps (big- medium-small)	Assorted	Available	Adequate
3.	Dressing drums of Assorted size	Assorted	Available	Adequate
4.	Drum stand	Assorted	Available	Adequate
5.	IV Stand	Two	02	Adequate
6.	Cheatles Forceps	Four	04	Adequate
7.	Mosquito forceps	Four	04	Adequate
8.	Scissors straight (Tailor)	Four	04	Adequate
9.	Scissors curved of different sizes	Five each	05	Adequate
10.	Stitch removal scissors	Five each	05	Adequate
11.	Dissection forceps	Four	04	Adequate
12.	Sinus Forceps	Four	04	Adequate
13.	Probes - Assorted size	Five each	05	Adequate
14.	Pointed scissors	Four	04	Adequate
15.	Abdominal Retractors	Five	05	Adequate
16.	Tissue Forceps	Five	05	Adequate
17.	Bob Kock's Forceps	Five	05	Adequate
18.	Kocher's Forceps	Five	05	Adequate
19.	Urethral Dilators	Five each	05	Adequate
20.	Metal Catheters	Five each	05	Adequate
21.	Sponge holding forceps	Four	04	Adequate
22.	Right Angle cholecystectomy Forceps	Four	04	Adequate
23.	Stone holding forceps	Four	04	Adequate
24.	Allies Forceps small	Four	04	Adequate
25.	Allies Forceps Big	Four	04	Adequate
26.	Artery Forceps small	Four	04	Adequate
27.	Artery Forceps big	Four	04	Adequate
28.	Artery Forceps Medium	Four	04	Adequate
29.	Sigmoidoscope Rigid/flexible	One	01	Adequate
30.	Barron Pile's Gun	Two	02	Adequate
31.	Laryngoscope Pediatric/Adult	One	01	Adequate
32.	Boyles Apparatus	One	01	Adequate
33.	Multi-parameter Monitor	One	01	Adequate




35.	Suction machine Electrical or Manual	One	01	Adequate
36.	Skin grafting knife with handle	Assorted	Available	Adequate
37.	Surgical blades of different size	Assorted	Available	Adequate
38.	Self-Retaining Retractor	Assorted	Available	Adequate
39.	Bone cutter	Two	02	Adequate
40.	Gigli Saw	Two	02	Adequate
41.	Scoop	Assorted	Available	Adequate
42.	Periosteum elevator	Two	02	Adequate
43.	Maggles Forceps	Assorted	Available	Adequate
44.	High Pressure Autoclave	One	01	Adequate
45.	Nitrous Oxide Cylinder	One	01	Adequate
46.	Hydrolic Operation Table	One	01	Adequate
47.	Boyle's Apparatus	One	01	Adequate
48.	Instrument Trolley	Assorted	Available	Adequate
49.	Endotracheal Tube	Assorted	Available	Adequate
50.	Proctoscope with or without illumination	Two	02	Adequate
51.	Gabrial Syringe	One	01	Adequate
52.	Strecher with trolley	Two	02	Adequate
53.	Suction Machine	Assorted	Available	Adequate
General				
54.	Emergency power back up facility	Assorted	Available	Adequate
55.	Emergency light	Four	04	Adequate
56.	Fire Extinguisher	Two	02	Adequate
57.	BP Apparatus	Assorted	Available	Adequate
58.	Fumigator	One	01	Adequate
59.	Refrigerator	One	01	Adequate
60.	X-ray View Box (double)	Two	02	Adequate
61.	Revolving Stool	Assorted	Available	Adequate
62.	Vertical BP Instrument	One	01	Adequate
63.	Rubber catheters of Assorted size	Assorted	Available	Adequate
Miscellaneous				
64.	Corrugated rubber drain	Assorted	Available	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted	Available	Adequate
66.	Surgical Thread	Assorted	Available	Adequate
67.	BP Handle of different size	Assorted	Available	Adequate
68.	Needle holder	Assorted	Available	Adequate
II	Shalakra: Ophthalmic Equipment or Instruments for Operative Surgery			
Essential				



70.	Sterilizing box/case w. matts		Assorted	Available	Adequate
71.	Lens insertion Forceps		Assorted	Available	Adequate
72.	Keratome		Assorted	Available	Adequate
73.	Desmarres lid retractors		Assorted	Available	Adequate
74.	Cat-paw lacrimal retractor		Assorted	Available	Adequate
75.	Mueller lacrimal sac retractor		Assorted	Available	Adequate
76.	Dastoor iris retractor		Assorted	Available	Adequate
77.	Meyrhoefer Chalazioncurrete		Assorted	Available	Adequate
78.	Sinsky lens manipulating hook		Assorted	Available	Adequate
79.	IOL Manipulator		Assorted	Available	Adequate
80.	Foreign body spud		Assorted	Available	Adequate
81.	Lewis lens loop (vectis)		Assorted	Available	Adequate
82.	Cystotome and spoon		Assorted	Available	Adequate
83.	Mule Evisceration spoon		Assorted	Available	Adequate
84.	Iris repository (double-ended)		Assorted	Available	Adequate
85.	Jameson muscle hook		Assorted	Available	Adequate
86.	Wills cautery with copper ball-point		Assorted	Available	Adequate
87.	Langs lacrimal sac dissector		Assorted	Available	Adequate
88.	Kelly Glaucoma punch		Assorted	Available	Adequate
89.	Elevator (double ended)		Assorted	Available	Adequate
90.	Nasal speculum adult/child		Assorted	Available	Adequate
91.	Wilder punctum Dilator		Assorted	Available	Adequate
92.	Bowman lacrimal probes		Assorted	Available	Adequate
93.	Hartman mosquito forceps		Assorted	Available	Adequate
94.	Colibri forceps 1*2 teeth		Assorted	Available	Adequate
95.	Mc. person corneal forceps with tying platform		Assorted	Available	Adequate
96.	Dressing forceps, serrated		Assorted	Available	Adequate
97.	Moorfieldconjunctival forceps		Assorted	Available	Adequate
98.	Fixation forceps		Assorted	Available	Adequate
99.	Beer cilea (epilation) forceps		Assorted	Available	Adequate
100.	Arruga capsular forceps		Assorted	Available	Adequate
101.	Snellen Entropion clamp		Assorted	Available	Adequate
102.	Chalazion clamps		Assorted	Available	Adequate
103.	Vannas straight scissors		Assorted	Available	Adequate
104.	Barraquer needle holder		Assorted	Available	Adequate
105.	Air injection cannula		Assorted	Available	Adequate
106.	Healon aspirating cannula		Assorted	Available	Adequate
107.	AC washout cannula		Assorted	Available	Adequate
108.	Lacrimal cannula		Assorted	Available	Adequate
109.	Hydrodialysis cannula		Assorted	Available	Adequate

111.	Simcock direct I/A cannula with silicon tubing	Assorted	Available	Adequate
112.	Irrigating aspirating hand.	Assorted	Available	Adequate
113.	Lens dialer	Assorted	Available	Adequate
114.	Superior Rectus forceps	Assorted	Available	Adequate
115.	Eye wash glasses (for Tarpana Karma)	Assorted	Available	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	Available	Adequate
III	ENT-Surgical or Operative Procedural Instruments			
	Essential			
117.	Aural Syringe	Assorted	Available	Adequate
118.	Jobson's Aural Probe	Assorted	Available	Adequate
119.	Eustachian Catheter	Assorted	Available	Adequate
120.	Mastoid Retractor	Assorted	Available	Adequate
121.	Mastoid Gouge	Assorted	Available	Adequate
122.	Mallet	Assorted	Available	Adequate
123.	Nasal Foreign Body hook	Assorted	Available	Adequate
124.	Nasal packing forceps	Assorted	Available	Adequate
125.	Nasal Snare	Assorted	Available	Adequate
126.	Bayonet Shaped gouge	Assorted	Available	Adequate
127.	Walsham forceps	Assorted	Available	Adequate
128.	Laryngeal forceps	Assorted	Available	Adequate
129.	Tongue plate with throat suction	Assorted	Available	Adequate
130.	Tonsil holding forceps	Assorted	Available	Adequate
131.	Tonsillar suction	Assorted	Available	Adequate
132.	Adenoid curette with cage	Assorted	Available	Adequate
133.	Peritonsillarabcess draining forceps	Assorted	Available	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	Available	Adequate
135.	Cheatel's Forceps	Assorted	Available	Adequate
	Miscellaneous			
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted	Available	Adequate




Dean/ Principal Stamp & Signature


Dr. S. M. V.

Secretary
Shree Sai Shikshan Prasarak Mandal
P. O. Box No. 1, K. M. Gad, Dist. Satara

S. No.	Name of Out Patient Department	Article required as per norms of CCIM	Required Quantity	Details on College Website	Adequate/ Inadequate
1	Kayachikitsa	Essential			
		X-Ray View Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate
		Torch	Two	02	Adequate
		Examination Table	One	01	Adequate
		Thermometer	Four	04	Adequate
		Tongue depressor	Five	05	Adequate
		Weight and height measuring stand	One	01	Adequate
		Measuring tape	One	01	Adequate
		Knee Hammer	Two	02	Adequate
		Miscellaneous			
		Gloves	Assorted	Available	Adequate
2	Shalya	Essential			
		X-Ray Viewing Box	One	01	Adequate
		Stethoscope	Four	04	Adequate
		Instruments for ano-rectal examination	Two sets	02	Adequate
		Examination Table	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Thermometer	Four	04	Adequate
		Torch	Assorted	Available	Adequate
		Cheatele forceps	Assorted	Available	Adequate
		General			
		Minor OT	Assorted	Available	Adequate
		Miscellaneous			
		Surgical Blades	Assorted	Available	Adequate
3	Shalakya	Essential			
		Tuning forks	Assorted	Available	Adequate
		Ophthalmoscope/ fundoscope	Two	02	Adequate
		Auroscope	Two	02	Adequate
		Examination Table	One	01	Adequate
		X-Ray Viewing Box	One	01	Adequate
		BP Apparatus	Two	02	Adequate
		Stethoscope	Four	04	Adequate



	ENT kit	Assorted	Available	Adequate
	Torch	Two	02	Adequate
	Bull's lamp	One	01	
4	Prasuti and Stri Roga			
	Essential			
	Weighing machine	One	01	Adequate
	Sims's speculum	Two	02	Adequate
	Thermometer	Four	04	Adequate
	Cusco's speculum	Two	02	Adequate
	Examination Table	One	01	Adequate
	Lamp stand	One	01	Adequate
	Torch	Two	02	Adequate
	X-Ray Viewing Box	One		Adequate
	BP Apparatus	Two	02	Adequate
	Stethoscope	Four	04	Adequate
	Measuring tape	Two	02	Adequate
5	Bal Roga			
	Essential			
	Scale	One	01	Adequate
	Weighing machine	One	01	Adequate
	Torch	Two	02	Adequate
	X-Ray View Box	One	01	Adequate
	Thermometer	Four	04	Adequate
	BP Apparatus with Pediatric cuff	Two	02	Adequate
	Stethoscope	Assorted	Available	Adequate
	Examination Table	Assorted	Available	Adequate
6	Panchkarma			
	As per Kayachikitsa			
7	Yoga Section (Swasth Rakshshan)			
	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Available	Adequate
8	Emergency			
	Facilities available (Equipment, Instrument, Furniture etc)	Assorted	Available	Adequate




Dean/ Principal Stamp & Signature
Secretary
 Shetkari Shikshan Prasarak Mandal
 Rehare (BK), Tal. Karad, Dist. Solapur